



SILVERLINK 600

PRODUCT OPTIONS AND ACCESSORIES

- SLR6/SB SPLASHBACK

PRODUCT FEATURES

- Compact 600mm deep footprint - perfect for care homes as well as smaller pubs and restaurants
- Four hotplates 2 x 2.0kW, 2 x 1.5kW with six-position control knob for each plate - higher power for sautéing at the front, lower power to the rear ideal for simmering
- Automatic power reduction, if the pan boils dry or is removed, prolonging hotplate life
- Easy clean fully pressed and sealed hob
- Powerful 4kW fan assisted oven for uniform heat distribution and consistent cooking
- To suit install requirements, the ESLR6C can be wired as either single or three phase
- Double insulated doors, side and back panels providing safer operation, greater efficiency and economy
- Castors at rear to enable unit to be pulled out for deeper cleans

AIA FILE NUMBER:

ITEM NUMBER:



LINCAT SILVERLINK ELECTRIC FREE-STANDING OVEN RANGE - CASTORS AT REAR - 4 PLATES - W 600 MM - 11.0 KW

MODEL: ESLR6C

WEIGHTS & DIMENSIONS

Width	600 mm
Depth	670 mm
Height	932 mil
Weight	60 kg

SHIPPING DETAILS

Ship Width	70 cm
Ship Depth	80 cm
Ship Height	110 cm
Ship Weight	66 kg
Ship Method	Small Parcel (FedEx, UPS, DHL)
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Type	Electric	Electrical Plug Type	Hardwired
Electrical Amps Per Conductor	Single Phase 47.8/Three Phase L1=17.4; L2=15.2; L3=15.2	Number of Electrical Plugs	Not Applicable
Electrical Total Amperage	47.8 A	Electrical Connection Type	Direct Hardwired
Electrical Volts	230-400V	Number of Electrical Conductor Wires	1
Electrical Total Wattage	11000 W	Dedicated Circuit Required	Yes
Electrical Kilowatts	11 kW	Electrical Remarks	Single, Three

ADDITIONAL SPECIFICATIONS

Construction Materials	Stainless Steel	Number of Shelves	2
Control Type	Rotary Control Knob	Open or Sealed Burners	Not Applicable
Cooking Plate Finish Material Type	Cast Iron Plate	Oven Power Rating	4 kW
High Altitude Kit Available	No	Oven Temperature Minimum	50 °C
Number of Heating Zones	4	Oven Temperature Maximum	250 °C
Number of Hot Top Burners	4	Ventless Cooking Technology	No
Number of Shelf Positions	4		

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated
March 24, 2025



**LINCAT SILVERLINK ELECTRIC FREE-STANDING OVEN RANGE -
CASTORS AT REAR - 4 PLATES - W 600 MM - 11.0 KW**

MODEL: ESLR6C

SELECT COOKING EQUIPMENT	NUMBER OF	POWER RATING	ARRANGE- MENT	WIDTH	DEPTH
Electric Round Hot Plate 1	2	2	Center Front	300 mm	300 mm
Electric Round Hot Plate 2	2	1.5	Center Rear	300 mm	300 mm

SELECT BASE EQUIPMENT	NUMBER OF	CUBIC CAPACITY EACH	WIDTH	DEPTH	HEIGHT
Standard Oven 1	1		470 mm	350 mm	428 mm

BIDDING SPECIFICATIONS (SHORT FORM SPECS)

Bidding Specifications Not Available.

TECHNICAL DRAWING

