



Keep hot meats, pasties, pies and other foods at the perfect temperature with the Seal 500 Range Heated Merchandiser. Offering generous capacity from limited counter space, it's perfect for cafes and canteens where space is at a premium. The merchandiser boasts great all-round visibility to entice customers and maximise food sales potential, and features self-service operation. There's a precise thermostatic control up to 95°C with a digital display of cabinet temperature which ensures food is maintained at a safe temperature, and a humidity feature prevents food from drying out, meaning that food stays in optimum condition for longer, thereby reducing waste.

A/A FILE NUMBER:

ITEM NUMBER:

PRODUCT FEATURES

- Elegant extruded aluminium frames and metallic silver finish enhance display without detracting from contents
- Minimum food holding temperature of 72°C
- All-round visibility to maximise food sales potential
- Precise thermostatic control up to 95°C with digital display of cabinet temperature ensures food is maintained at a safe temperature
- Humidity feature prevents food drying out - food stays in optimum condition for longer, reducing waste
- Daylight-balanced illumination to enhance display of contents with easy change clip-in fluorescent light tubes



LINCAT SEAL 500 SERIES COUNTER-TOP HEATED MERCHANDISER - SELF-SERVICE - W 750 MM - 1.52 KW

MODEL: D5H/75S

WEIGHTS & DIMENSIONS

Width	750 mil
Depth	500 mil
Height	575 mil
Weight	36 kg

SHIPPING DETAILS

Ship Width	100 cm
Ship Depth	80 cm
Ship Height	68 cm
Ship Weight	39.6 kg
Ship Method	Small Parcel (FedEx, UPS, DHL)
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Type	Electric	Electrical Plug Type	UK 3-Pin Plug
Electrical Total Amperage	6.6 A	Number of Electrical Plugs	1
Electrical Volts	230V	Electrical Connection Type	Cord and Plug
Electrical Total Wattage	1520 W	Number of Electrical Conductor Wires	1
Electrical Kilowatts	1.52 kW	Dedicated Circuit Required	No
Electrical Phase	1-Phase	Electrical Remarks	Single

ADDITIONAL SPECIFICATIONS

Construction Materials	Stainless Steel	Number of Shelves	2
Control Type	Electronic	Rack Type	Static
Display Case Front Design Style	Straight Glass Front	Shelf Depth	375 mm
Display Case Service Type	Customer Self Service	Shelf Width	650 mm
Display Case Type	Heated	Type of Lighting	Fluorescent
Heated Base	Yes	Temperature Maximum	95 °C
Lighted	Yes		

BIDDING SPECIFICATIONS (SHORT FORM SPECS)

Bidding Specifications Not Available.

TECHNICAL DRAWING

