



Opus 800

PRODUCT OPTIONS AND ACCESSORIES

- OA8976 BRANDING PLATE ACCESSORY FOR OG8301
- OA8908 Lincat Opus 800 Free-standing Bench Stand - for units W 800 mm
- OA8918 Lincat Opus 800 Free-standing Bench Stand - for units W 900 mm
- OA8907 Lincat Opus 800 Free-standing Floor Stand with Legs - for units W 800 mm
- OA8912 Lincat Opus 800 Free-standing Floor Stand with Legs - for units W 900 mm
- OA8909 WALL BRACKET OG8301/OE8304

PRODUCT FEATURES

- Powerful heating elements, for reliability and rapid heat up
- Four shelf positions with horizontal or angled settings

The powerful Opus 800 Electric Salamander Grill is designed to heat quickly. Its mighty heating elements heat food rapidly, and flexibility is assured with four shelf positions with horizontal or angled settings. The Salamander is ideal for cafes, pubs and restaurants

AIA FILE NUMBER:

ITEM NUMBER:

WEIGHTS & DIMENSIONS

Width	800 mil
Depth	415 mil
Height	400 mil
Weight	34.6 kg

SHIPPING DETAILS

Ship Width	91 cm
Ship Depth	51 cm
Ship Height	80 cm
Ship Weight	38.06 kg
Ship Method	Small Parcel (FedEx, UPS, DHL)
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Type	Electric	Electrical Plug Type	Hardwired
Electrical Total Amperage	19.1 A	Number of Electrical Plugs	Not Applicable
Electrical Volts	230V	Electrical Connection Type	Direct Hardwired
Electrical Total Wattage	4400 W	Number of Electrical Conductor Wires	1
Electrical Kilowatts	44 kW	Dedicated Circuit Required	Yes
Electrical Phase	1-Phase	Electrical Remarks	Single

ADDITIONAL SPECIFICATIONS

Broiler Base Configuration	Not Applicable	Cooking Area Plate Width	530 mm
Broiler Type	Salamander	Heat Location	Top Only
Construction Materials	Stainless Steel	Heat Source Type	Infrared
Control Type	Electronic, Rotary Control Knob	Number of Heating Zones	1
Cooking Area Plate Depth	360 mm	Number of Shelf Positions	4
		Ventless Cooking Technology	No

BIDDING SPECIFICATIONS (SHORT FORM SPECS)

Bidding Specifications Not Available.

TECHNICAL DRAWING

