



Opus 800

PRODUCT OPTIONS AND ACCESSORIES

- CH01 CATERFLEX HOSE 1/2" 1 METRE
- CH02 CATERFLEX HOSE 1/2" 1.5 METRE
- OA8918 Lincat Opus 800 Free-standing Bench Stand - for units W 900 mm
- OA8912 Lincat Opus 800 Free-standing Floor Stand with Legs - for units W 900 mm
- BR10 OG8302 BRANDING GRID
- OA8911 WALL BRACKET OG8302/OE8303

PRODUCT FEATURES

- Powerful, highly efficient ceramic plaque burners for reliability & rapid heat up
- Maximum versatility with three independently controlled heat zones
- Four shelf positions with horizontal or angled settings
- GN 1/1 compatible
- Enamelled front for durability

The powerful Opus 800 Gas Salamander Grill is designed to heat quickly. Its mighty, highly efficient ceramic plaque burners rapidly heat up, while the three independently controlled heat zones offer maximum versatility. Ideal for cafes, pubs and restaurants, the powerful, sturdy grill is GN 1/1 compatible and includes four shelf positions with horizontal or angled settings.

A/A FILE NUMBER:

ITEM NUMBER:



LINCAT OPUS NATURAL GAS COUNTER-TOP SALAMANDER GRILL - W 900 MM - 8.7 KW

MODEL: OG8302/N

WEIGHTS & DIMENSIONS

Width	900 mm
Depth	548 mil
Height	495 mm
Weight	60 kg

SHIPPING DETAILS

Ship Width	100 cm
Ship Depth	548 cm
Ship Height	85 cm
Ship Weight	66 kg
Ship Method	Small Parcel (FedEx, UPS, DHL)
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Type	Gas	Gas Inlet Size	0.5 in
Electrical Kilowatts	8.7 kW	Gas Inlet Pressure Required	20 mBar
Dedicated Circuit Required	Yes	Gas Consumption at Max Use Per Hour	0.83 m ³
Gas Type	Natural Gas	Total Heat Input at Max Use	8.7 kW, 29684 BTU per hour
Gas Total BTUs	29684 BTU		

ADDITIONAL SPECIFICATIONS

Broiler Base Configuration	Not Applicable	Food Production Rate	76 x 225g [8oz] steaks [chilled] per hour
Broiler Type	Salamander	Gastronorm Capacity	1 x GN1/1
Construction Materials	Stainless Steel	Heat Location	Top Only
Control Type	Mechanical, Rotary Control Knob	Heat Source Type	Ceramic
Cooking Area Plate Depth	265 mm	Number of Heating Zones	3
Cooking Area Plate Width	530 mm	Number of Shelf Positions	4
		Ventless Cooking Technology	No

BIDDING SPECIFICATIONS (SHORT FORM SPECS)

Bidding Specifications Not Available.

TECHNICAL DRAWING

