



Opus 800

PRODUCT OPTIONS AND ACCESSORIES

- BA83 BASKET SMALL
- OF2 Oil filter kit - size 2
- LK02 OPUS 350 LEG KIT
- OA8954 SPLASHGUARD FOR OPUS 800 ELECTRIC FRYERS

PRODUCT FEATURES

- Accurate thermostatic control up to 190°C for consistent results and safe operation
- Base model with oil drainage through the body of the fryer

Fry delicious food accurately with this Opus 800 Single-Tank Free Standing Electric Fryer which comes with a precise thermostatic control. The fryer is ideal for a variety of busy commercial kitchens, whether it's a large pub or a restaurant. The oil drains efficiently through the body of the fryer, while the hinged, lift out element with safety interlock makes it easy to access and clean the tank.

A/A FILE NUMBER:

ITEM NUMBER:

WEIGHTS & DIMENSIONS

Width	600 mil
Depth	800 mil
Height	1020 mil
Weight	95.8 kg

SHIPPING DETAILS

Ship Width	70 cm
Ship Depth	85 cm
Ship Height	122 cm
Ship Weight	105.38 kg
Ship Method	LTL Common Carrier
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Type	Electric	Electrical Phase	3-Phase
Electrical Amps Per Conductor	L1/L2/L3= 31.8 [1 cab]; L1/L2/L3= 2 x 15.9 [2 cab]	Electrical Plug Type	Hardwired
Electrical Total Amperage	31.8 A	Number of Electrical Plugs	Not Applicable
Electrical Volts	400V	Electrical Connection Type	Direct Hardwired
Electrical Total Wattage	22000 W	Number of Electrical Conductor Wires	1
Electrical Kilowatts	22 kW	Dedicated Circuit Required	Yes
		Electrical Remarks	Three

ADDITIONAL SPECIFICATIONS

Auto Oil Top-Off	No	Number of Baskets	2
Basket Lift Type	Not Applicable	Number of Vats (batteries)	1
Construction Materials	Stainless Steel	Total Oil Capacity (volume)	36.5 l
Control Type	Mechanical	Oil Reclamation	No
Food Production Rate	50.2kg chips - 12mm [frozen], 65.5kg chips - 12mm [chilled] per hour	Oil Temperature Control	Mechanical
Fryer Type	Open Pot	Pumped Oil Filtration	No
Integrated Filtration	No	Vat 1 Oil Capacity (volume)	36.5 l
		Ventless Cooking Technology	No
		Split Pot	No
		Temperature Maximum	190 °C

BIDDING SPECIFICATIONS (SHORT FORM SPECS)

Bidding Specifications Not Available.

TECHNICAL DRAWING

